

Please Click On Product Title To Go To The Product Page To
Purchase

JBL Control 1 Pro Passive Loudspeaker Pair



(Priced As A Pair, Sold In Pairs Only)

Features:

■ 150 Watts Continuous Power Handling

- Professional Drivers and Crossover Network
- Included Mounting Bracket
- Transparent and Faithful Sonic Performance
- Magnetically Shielded Transducers
- SonicGuard™ Overload Protection
- Available in Black or White Finishes

Specifications:

Frequency Range (-10 dB): 80 Hz to 20 kHz

Frequency Response (± 3 dB): I00 Hz - 18 kHz

Power Capacity: I50 W

Sensitivity: 87 dB SPL, 1 W, 1 m (3.3 ft)

Maximum SPL: 108 dB continuous, 114 dB peak

Directivity Factor (Q): 6.0

Directivity Index (DI): 7.8

Nominal Impedance: 4 ohms

Crossover Frequency: 4.2 kHz

Overload Protection: Full-range SonicGuard™ power limiting to

protect network and transducers

LF Drivers: 135 mm (5.25 in) low frequency loudspeaker

HF Drivers: 19 mm (.75 in) polycarbonate dome tweeter

Input Connectors: Spring-loaded terminals

Enclosure Material: Polypropylene Structural Foam

Finish: Black (C1Pro)

Dimensions: 235 mm \times 159 mm \times 143 mm (9.3 in \times 6.3 in \times 5.6

in)

Net Weight (ea.): 1.8 kg (4 lb)

Shipping Weight (pair): 4.6 kg (10 lb)

Included Accessories: Mounting Bracket Assembly

Optional Accessories: MTC-1A ultra-duty mount bracket MTC-8

heavy-duty mounting bracket

UPS 050036903455

Controll Pro Manual

Price: \$260.00

SKU: 5387

Categories: Live Sound & Lighting, Loudspeakers, Recording

Equipment, Studio Monitors

Tags: PA Speakers

Product Short Description:

Representing the next-generation in professional high-performance, compact loudspeaker systems, the Control® 1 Probuilds on its proud heritage while incorporating the latest innovations in JBL Professional loudspeaker systems design.

(Priced As A Pair, Sold In Pairs Only)

Customer Service Is Our Top Priority!