



Please Click On Product Title To Go To The Product Page To Purchase

MineLab Gold Monster 2000 Metal Detector



Features:

Multi-Au™ Technology with Hybrid SMF-PI

Minelab's new Multi-Au simultaneous multi-frequency engine combines the ultra-fine sensitivity of VLF with the superior ground-handling capability of a Pulse Induction soil-handling engine. This advanced signal processing improves responsiveness to small or difficult targets by maintaining signal clarity and reducing ground noise in mineralised soils. The result is powerful, stable detection across challenging goldfields without sacrificing precision or depth.

Echo Wave™ Audio

Highly sensitive detection audio is layered with target discrimination tones to clearly differentiate valuable targets from surrounding clutter, including ferrous junk, hot rocks and background noise, while preserving sensitivity, clarity and depth. Receive accurate target identification even in mineralised soil and challenging goldfields.

Easy-Trak and Quick-Trak Ground Balance

Powered by Multi-Au™, automatic Easy-Trak and manual Quick-Trak adjust to changing ground conditions in real time, providing extreme precision and control, reducing false signals and improving target detection. Easy-Trak automatically monitors and adjusts to ground variations, helping maintain a stable signal and reduce false responses. Quick-Trak enables fast, manual ground balance adjustment. Press the button to retune immediately when moving across hot rocks or shifting soil conditions. Maintain peak sensitivity and depth in mineralised ground without interruption.

Gold Chance Indicator

The real-time Gold Chance Indicator displays a dynamic gauge that shifts as the detector analyses a target, showing the probability of gold versus ferrous trash. This instant feedback helps inform decisions and reduce time spent on unwanted targets.

Manual & Auto Sensitivity

Manual and Auto Sensitivity let you tailor performance to conditions. Choose from 10 manual levels for precise control, or switch to Auto Sensitivity for adaptive operation. Auto applies a lower sensitivity setting for stability, while Auto Plus increases sensitivity to enhance target signal feedback.

Auto Noise Cancel

On startup, Automatic Noise Cancelling actively scans for sources of electromagnetic interference, including power lines and nearby electronics, then adjusts operating frequencies to reduce signal noise. The result is more stable performance, clearer audio and reliable signals in mineralised or noisy ground.

Coil

Waterproof up to 1 m (3.3 ft), the GM2000-05 5" Round Double-D Coil is designed for versatility and precision. Its compact size makes it ideal for detecting in tight spaces and allows for high sensitivity to the smallest gold nuggets.

All-Day Battery Life

Includes two Li-ion rechargeable batteries, delivering reliable power for extended detecting sessions.

Rainproof Control Box

The IP55-rated, rainproof control box protects internal components to ensure reliable operation in damp conditions.

Adjustable Volume

Adjustable target audio, with 12 manual settings.

Universal Shaft Adapter

The Universal Shaft Adapter securely mounts the control box and coil to various non-metal shafts. It's a reliable backup when the original shaft is lost, broken or unavailable.

GOLD MONSTER 2000 Tech Specs

Search Modes: Normal, Difficult, Benign

Operation Frequency: 12 to 76 kHz Simultaneous Multi-Frequency

Sensitivity: Manual (1-10), Auto (1) and Auto (2)
Noise Cancel: Automatic (On Start-up)
Wireless Audio: No
Volume Control: 1-12
Target Tones: Highly Sensitive Threshold Tone Detection Audio
Echo Wave™ Audio – High Tones (Gold), Low Tones (Hot Rocks /
Iron)
Included Headphones: Wired Earbuds
Audio Output Options: Internal Speaker or Wired 3.5 mm (1/8")
Earbuds
Target IDs: 0-99
Depth Indicator: No
Gold Chance Indicator: Real-Time Visual Gauge for Enhanced
Target Probability Indicating Gold or Hot rocks / Iron
Iron Bias: No
Length: 65 cm – 138.2 cm (25.6" – 54.4") (Telescopic Carbon-
Fibre / Fibreglass shaft)
Weight: 1.25 kg (2.75 lbs) (including battery)
Operating Temperature Range: 0°C – +70°C (+32°F – +158°F)
Storage Temperature Range: -20°C – +80°C (-4°F – 176°F)
Waterproof: IP55-Rated Control Pod (Rainproof), Coil
Waterproof up to 1 m (3.3 ft)
Display: Monochrome LCD
Display Backlight: No
Keypad Backlight: No
Flashlight: No
Vibration: No
Key Technologies: Multi-Au™ -Gold Augmented Simultaneous Multi
Frequency Echo Wave Audio
Warranty: 2 Years Control Box and Coil
Standard Coil: GM2000-05 (5" Round Double-D Coil)
Supplied Batteries: Two Rechargeable 2700 mAh Lithium-Ion
Batteries
Supplied Accessories: Universal Shaft Adapter, Universal AC
Charging Cable, Wired Earbuds 3.5 mm (1/8"), Car Battery
Charger and Getting Started Guide

Part# 3318-0001

UPC 811493019758

[Gold Monster 2000 Assembly Guide](#)

Price: \$1,999.00

SKU: 8679

Categories: [Metal Detectors](#)

Tags: [Gold Detectors](#), [Gold Prospecting Supplies](#)

Product Short Description :

GOLD MONSTER 2000 tracks ultra-fine gold with sharper precision in mineralized ground using Minelab's Multi-Au™ technology, which combines VLF sensitivity and a Pulse Induction soil handling engine. Echo Wave™ Audio makes it easier to identify valuable targets by distinguishing weak gold signals from hot rocks, iron trash and interference. A real-time Gold Chance Indicator provides visual feedback on the likelihood of detecting gold versus junk, while the carbon-fibre telescopic shaft delivers portability without sacrificing durability.

Includes:

Minelab Gold Monster 2000 Metal Detector

5 Inch Round Double-D Coil With Skidplate (waterproof to 1 m / 3.3 ft)

Two Rechargeable 2700 mAh Lithium-Ion Batteries

Universal Shaft Adapter

Universal AC Charging Cable

Car Battery Charger

Wired Earbuds 1/8 Inch

Getting Started Guide



Product Gallery:



Customer Service Is Our Top Priority!