



Please Click The Product Title Link To See The Product Page, If You Would Like To Purchase.

## [TASCAM US-4X4 Computer-Tablet Audio Interface](#)



Sampling frequency  
Quantization bit rate  
Analog audio inputs

US-4x4

**MIC IN**

Connector  
Input impedance  
Nominal input level  
GAIN:MAX  
GAIN:MIN  
Maximum input level  
(GAIN:MIN )  
Gain

IN 1-4  
XLR-3-31

**INST IN**

Connector  
  
Input impedance  
Nominal input level  
GAIN:MAX  
GAIN:MIN  
Maximum input level  
(GAIN:MIN )  
Gain

IN 1-2  
6.3mm(1/4"  
(When set

**LINE IN**

Connector  
  
Input impedance  
Nominal input level  
GAIN:MAX  
GAIN:MIN  
Maximum input level  
(GAIN:MIN )  
Gain

IN 1-4  
6.3mm(1/4") TRS  
(When set to

Analog audio outputs

**LINE OUT**

Connector  
Output impedance  
Nominal output level  
Maximum output level  
PHONES  
Connector  
Maximum output level

6.3mm(1/4") TRS

6.3  
45mW+45mW o  
(THD+N 0.1% or less,

**MIDI IN / OUT**

Connector  
Format  
USB  
Connector  
Format  
Power  
When connected PC  
When connected iOS  
Power consumption  
Dimensions

5W  
11.62" W x 2.56"  
(296mm W x65mm H  
3.53lb (1.6

Weight  
Operating temperature  
Bundled software

**Accessories**

AC adapter(GPE248-120200-Z), USB cable, SONAR X3 LE license card

## Audio performance

Frequency response

### LINE OUT (BALANCED)

44.1k/48k Hz

20Hz to 20kHz, +0dB/-0.1dB

88.2k/96k Hz

20Hz to 40kHz, +0dB/-0.2dB

### PHONES

44.1k/48k Hz

20Hz to 20kHz, +0dB/-0.5dB

88.2k/96k Hz

20Hz to 40kHz, +0dB/-2dB

THD

0.003% or less

S/N ratio

101dB or more

Crosstalk

95dB or more

EIN

-127dBu or less

## Computer system requirements

### Windows

OS Windows 7(32-bit SP1, 64-bit SP1), Windows 8.0(32-bit, 64-bit), of the latest OS version, please click [here](#).

Compatible computers Windows-compatible computer with a USB 2.0 port

CPU type/speed Dual core/2 GHz or faster (x86)

Memory 2GB or more

DRIVER ASIO2.0, WDM(MME)

### Macintosh

OS OS X Mountain Lion(10.8), OS X Mavericks(10.9)\* For further info

Compatible computers Apple Macintosh computer with a USB 2.0 port

CPU type/speed Dual core/2 GHz or faster

Memory 2GB or more

DRIVER Core Audio, Core MIDI

### iOS

OS iOS 7\* For more information about the OS compatibility on each m

UPC 043774031016

**Price:** \$249.99

**SKU:** 7000

**Categories:** [Audio Interfaces](#), [Recording Equipment](#)

**Tags:** [Computer Interface](#)

### Product Short Description :

4-in/4-out Audio/MIDI Interface with HDDA Mic Preamps and iOS Compatibility

TASCAM's US-4x4 combines great audio quality and ergonomic design for a powerful 4-in/4-out USB 2 audio interface.

Four of TASCAM's Ultra-HDDA mic/line preamps provide up to 57dB of gain with nearly inaudible noise and distortion specs. The audio design features high-performance, musical components like NE5532 op amps for rich sound quality without coloring the source.

The US-4x4 includes class-compliant drivers for plug-and-play operation on Mac OSX and iOS devices like the iPad, and a simple driver adds ASIO compatibility for Windows. MIDI in and out are also included for connecting

synths, drum machines, and controllers. The interface includes two DAW applications to choose from – both Cakewalk SONAR X3 LE and Ableton Live Lite 9.

With solid audio specs, iOS compatibility, and an easy-to-read angled design, the US-4x4 is the ultimate 4-channel interface for home, project, and mobile studios.

#### Product Gallery:



***Customer Service Is Our Top Priority!***